

LIST OF REFERENCES

LIST OF REFERENCES

- Alonso, C.V., W.H. Neibling, and G.R. Foster. 1981. Estimating sediment transport capacity in watershed modeling. *Transactions of the ASAE* 24(5):1211-1220, and 1226.
- Ascough, J.C., C. Baffaut, M.A. Nearing, and B.Y. Liu. 1997. The WEPP watershed model: I. Hydrology and erosion. *Transactions of the ASAE* 40(4):921-933.
- Baffaut C., M.A. Nearing, J.C. Ascough II, and B. Liu. 1997. The WEPP watershed model: II. Sensitivity analysis and discretization on small watersheds. *Transactions of the ASAE* 40(4):935-943.
- Beasley, D.B., L.F. Huggins, and E.J. Monke. 1980. ANSWERS: A Model for Watershed Planning. *Transactions of the ASAE* 23(4):938-944.
- Beasley, D.B. and L.F. Huggins. 1982. ANSWERS user's manual. EPA-905/9-82-DO1. U.S. Environmental Protection Agency.
- Beven, K. 1989. Changing ideas in hydrology - The case of physically-based models. *Journal of Hydrology* (105):157-172.
- Broscoe, A.J. 1959. Quantitative analysis of longitudinal stream profiles of small watersheds. Office of Naval Research, Project NR 389-042, Technical Report No. 18, Department of Geology, Columbia University, New York.
- Burrough, P.A. and R.A. McDonnell. 1998. *Principles of Geographical Information Systems*. Oxford Univeristy Press Inc, New York.
- CERL. 1993. GRASS4.1 Reference Manual. U.S. Army Corps of Engineers, Construction Engineering Research Laboratories, Champaign, Illinois.
- Chaves, H.M.L. and M.A. Nearing. 1991. Uncertainty analysis of the WEPP soil erosion model. *Transactions of the ASAE* 34(6):2437-2444.
- Cochrane, T.A. 1995. Detachment and Deposition in a Simulated Rill. M.S. thesis. West Lafayette, Ind.: Purdue University.

- Desmet, P.J.J, and G. Govers. 1996a. A GIS procedure for automatically calculating the USLE LS factor on topographically complex landscape units. *Journal of Soil and Water Conservation* 51(5) 427-433.
- Desmet, P.J.J. and G. Govers. 1996b. Comparison of routing algorithms for digital elevation models and their implications for predicting ephemeral gullies. *International Journal of Geographical Information Systems*. 10(3):311-331.
- Drayton, R.S., Wilde, B.M., and J.H.K. Harris. 1991. Geographical information system approach to distributed modelling. *Hydrological Processes* (6): 361-368.
- Dunne, T. 1980. Formation and controls of channel networks. *Progress in Physical Geography* (4): 211-239.
- Eastman, J.R. 1997. Idrisi for Windows, User's Guide. Clark Labs for Cartographic Technology and Geographic Analysis, Clark University, 950 Main St., Worcester, MA 01610-1477 USA.
- ESRI. 1998. Arc View 3.0a Users Manual. Environmental Systems Research Institute, 380 New York Street, Redlands CA 92373-8100.
- Flacke, W., K. Auerswald, and L. Neufang. 1990. Combining a modified USLE with a digital terrain model for computing high resolution maps of soil loss resulting from rain wash. *Catena* 17:383-397.
- Flanagan, D.C. and M.A. Nearing. 1995. USDA-Water Erosion Prediction Project: Hillslope profile and watershed model documentation. NSERL Report No. 10. West Lafayette, Ind.: USDA-ARS National Soil Erosion Research Laboratory.
- Flanagan, D.C. and M.A. Nearing. 1991. Sensitivity analysis of the WEPP hillslope profile model. ASAE meeting paper No. 912074. American Society of Agricultural Engineers, St. Joseph, MI 49085-9659 USA.
- Foster, G.R. and L.J. Lane. 1987. User Requirements: USDA - Water Erosion Prediction Project (WEPP). NSERL Report No. 1. West Lafayette, Ind.: USDA-ARS National Soil Erosion Research Laboratory.

- Foster, G.R., L.J. Lane, J.D. Nowlin, J.M. Laflen, and R.A. Young. 1980. Chapter 2. A model to estimate sediment yield from field-sized areas: Development of model. In *CREAMS: A Field-Scale Model for Chemicals, Runoff, and Erosion From Agricultural Management Systems*, W.G. Knisel (Ed.), Vol. II: User Manual. Conservation Research Report No. 26, Washington, D.C.: USDA-Science and Education Administration, pp. 193-281.
- Foster, G.R. and W.H. Wischmeier. 1974. Evaluating irregular slopes for soil loss prediction. *Transactions of the ASAE* 17:305-309.
- Freeman, T.G. 1991. Calculating catchment area with divergent flow based on a regular grid. *Computers and Geosciences* 17(3):413-422.
- Garbrecht, J. and L.W. Martz. 1997. TOPAZ: An automated digital landscape analysis tool for topographic evaluation, drainage identification, watershed segmentation and subcatchment parameterization: Overview. ARS-NAWQL 95-1, US Department of Agriculture, ARS, Durant, Oklahoma.
- Garbrecht, J., P. J. Starks, and L. W. Martz. 1996. New Digital Landscape Parameterization Methodologies. In *Proceedings of the 32nd Annual Conference and Symposium on GIS and Water Resources*, American Water Resources Association, Herndon, Virginia, TPS-96-3, September 22-26, 1996, Fort Lauderdale, Florida, pp. 357-365.
- Gardner, T.W., K. Connors Sasowski, and R.L. Day. 1990. Automated extraction of geomorphometric properties from digital elevation data. *Zeitschrift fur Geomorphologie, Supplementary Band* (80): 57-68.
- Grayson, R.B., I.D. Moore, and T.A. McMahon. 1992. Physically based hydrologic modeling 2. Is the concept realistic? *Water Resources Research* 26(10):2659-2666.
- Horton, R.E. 1932. Drainage basin characteristics. *Transactions American Geophysical Union* 13:350-361.
- Horton, R.E. 1945. Erosional development of streams and their drainage basins: hydrophysical approach to quantitative morphology. *Geological Society of America Bulletin* 56:275-370.

- Huang, S.L. and J.J. Ferng. 1990. Applied Land Classification for Surface Water Quality Management: II. Land Process Classification. *Journal of Environmental Management* 31:127-141.
- Jenson, S.K., and J.O. Dominique. 1988. Extracting topographic structure from digital elevation data for geographical information system analysis. *Photogrammetric Engineering and Remote Sensing* 54(11):1593-1600.
- Knisel, W.G., (Ed.). 1980. CREAMS: A Field-Scale Model for Chemicals, Runoff, and Erosion From Agricultural Management Systems. Conservation Research Report No. 26. Washington, D.C.: USDA-Science and Education Administration.
- Kramer, L. 1993. Application of WEPP 93.005 to HEL watershed. ASAE meeting, paper No. 93-2501, ASAE, 2950 Niles Rd., St. Joseph, MI 49085-9659 USA.
- Lea, N.J. 1992. An aspect-driven kinematic routing algorithm. In *Overland Flow, Hydraulics and Erosion Mechanics*, A.J. Parsons and A.D. Abrahams (Eds.), London: UCL Press, pp. 393-407.
- Line, D.E., S.W. Coffey, and D.L. Osmond. 1997. Watersheds grass-AGNPS model tool. *Transactions of the ASAE* 40(4):971-975.
- Liu, B.Y., M.A. Nearing, C. Baffaut, and J.C. Ascough II. 1997. The WEPP Watershed Model: III. Comparisons to measured data from small watersheds. *Transactions of the ASAE* 40(4):945-952.
- Liu, B.Y., M.A. Nearing, and L.M. Risse. 1994. Slope gradient effects on erosion for high slopes. *Transactions of the ASAE* 37(6):1835-1840.
- Manguerra, H.B. and B.A. Engel. 1998. Hydrologic parameterization of watersheds for runoff prediction using SWAT. *Journal of the American Water Resources Association* 34(5):1149-1162.
- Martz, L.W. and J. Garbrecht. 1992. Numerical definition of drainage network and subcatchment areas from digital elevation models. *Computers and Geoscience* 18(6):747-761.
- McCool, D.K., L.C. Brown, and G.R. Foster. 1987. Revised slope steepness factor for the Universal Soil Loss Equation. *Transactions of the ASAE* 30:1387-1396.

- McCool, D.K., G.R. Foster, C.K. Mutchler, and L.D. Meyer. 1989. Revised slope length factor for the Universal Soil Loss Equation. *Transactions of the ASAE* 32:1571-1576.
- McGregor, K.C., J.D. Greer, G.E. Gurley, and G.C. Bolton. 1969. Runoff and sediment production from North Mississippi loessial soils. Mississippi State University Agricultural Experiment Station, Bulletin 777, Nov. 1969.
- Mandelbrot, B.B. 1983. *The Fractal Geometry of Nature*. Freeman and Co., New York, 468pp.
- Mein, R.G. and C.L. Larson. 1973. Modeling infiltration during a steady rain. *Water Resources Research* 9(2):384-394.
- Meyer, L.D., B. A. Zuhdi, N. L. Coleman, and S. N. Prasad. 1983. Transport of sand-sized sediment along crop-row furrows. *Transactions of the ASAE* 26(1):106-111.
- Montgomery, D.R. and W.E. Dietrich. 1994. Landscape dissection and drainage area-slope thresholds. In *Processes, Models and Theoretical Geomorphology*, Kirkby, M.J. (Ed.), Wiley, New York, pp. 221-246.
- Montgomery, D.R. and W.E. Dietrich. 1989. Source areas, drainage density, and channel initiation. *Water Resources Research* 25(8): 1907-1918.
- Moore, I.D. and G.J. Burch. 1986a. Modelling erosion and deposition: Topographic effects. *Transactions of the ASAE* 29(6):1624-1630.
- Moore, I.D. and G.J. Burch. 1986b. Sediment transport capacity of sheet and rill flow: application of unit stream power theory. *Water Resources Research* 22(8):1350-1360.
- Moore, I.D. and R.B. Grayson. 1991. Terrain-based catchment partitioning and runoff prediction using vector elevation data. *Water Resources Research* 27(6): 1177-1191.
- Moussa, R. and C. Bocquillon. 1996. Fractal analyses of tree-like channel networks from digital elevation model data. *Journal of Hydrology* (187): 157-172.
- Nash, J.E. and J.V. Sutcliffe. 1970. River flow forecasting through conceptual models, Part I-A, discussion of principles. *Journal of Hydrology* 10(3):282-290.

- Nearing, M.A. 1998. Why Soil Erosion Models Over-predict Small Soil Losses and Under-predict Large Soil Losses. *Catena* 32:15-22.
- Nearing, M.A. 1997. A single, continuous function for slope steepness influence on soil loss. *Soil Science Society of America Journal* 61(3):917-919.
- Nearing, M.A., X.C. Zhang, B.Y. Liu, C. Baffaut, and L.M. Risse. 1995. A comparison of WEPP and RUSLE technologies for soil loss on uniform slopes. ASAE meeting paper No. 95-2578. American Society of Agricultural Engineers, St. Joseph, MI 49085-9659 USA.
- Nearing, M.A. and S.C. Parker. 1994. Detachment of soil by flowing water under turbulent and laminar conditions. *Soil Science Society of America Journal* 58:1612-1614.
- Nearing, M.A., L. Deer-Ascough, J.M. Laflen. 1990. Sensitivity analysis of the WEPP hillslope profile erosion model. *Transactions of the ASAE* 33(3):839-849.
- Nyquist, W.E. 1997. The mixed procedure: Method of maximum likelihood, restricted method of maximum likelihood, likelihood ratio test, and the mixed model. Agronomy 552 class notes, West Lafayette, Ind.: Purdue University.
- O'Callaghan, J.F., and D.M. Mark. 1984. The extraction of drainage networks from digital elevation data. *Computer Vision, Graphics, and Image Processing* 28:323-344.
- Onstad, C.A. 1984. Depression storage on tilled soil surfaces. *Transactions of the ASAE* 27(3):729-732.
- Pilotti, M., C. Gandofi, and G.B. Bischetti. 1996. Identification and analysis of natural channel networks from digital elevation models. *Earth Surface Processes and Landforms* (21):1007-1020.
- Puente, C.E. and P.A. Castillo. 1996. On the fractal structure of networks and dividers within a watershed. *Journal of Hydrology* (187):173-181.
- Quinn, P., K. Beven, P. Chevallier, and O. Planchon. 1991. The prediction of hillslope flow paths for distributed hydrological modeling using digital terrain models. *Hydrological Processes* (5):59-79.

- Renard, K.G., G.R. Foster, G.A. Weesies, D.K. McCool, and D.C. Yoder. 1997. Predicting soil erosion by water: A guide to conservation planning with the revised universal soil loss equation (RUSLE). U.S. Department of Agriculture, Agricultural Handbook No. 703.
- Rewerts, C.C. and B.A. Engel. 1991. ANSWERS on GRASS: Integrating a watershed simulation with GIS. ASAE meeting paper No. 91-7045. American Society of Agricultural Engineers, St. Joseph, MI 49085-9659 USA.
- Ritchie, J.C. and J.R. McHenry. 1990. Application of radioactive fallout Cesium-137 for measuring soil erosion and sediment accumulation rates and patterns: A review. *Journal of Environmental Quality* 19:215-233.
- Risse, L.M. 1994. Validation of WEPP using natural runoff plot data. Ph.D. dissertation. West Lafayette, Ind.: Purdue University.
- SAS. 1997. Chapter 16: The Mixed Procedure. In *SAS/STAT software: Changes and enhancements through Release 6.12*. SAS Institute, Inc., Cary, N.C., pp. 571-702.
- Savabi, M.R., D.C. Flanagan, B. Hebel, and B.A. Engel. 1995. Application of WEPP and GIS-GRASS to a small watershed in Indiana. *Journal of Soil and Water Conservation* 50(5):477-483.
- Smith, C.N., Bailey, G.W., Leonard, R.A. and G.W. Langdale, 1978. Transport of agricultural chemicals from small upland piedmont watersheds. US Environmental Protection Agency report, EPA-600/.-78-056, May 1978.
- Smith, R.E., Goodrich, D.C., Woolhiser, D.A., and Unkrich, C.L. 1995. Chapter 20. KINEROS – A kinematic runoff and erosion model. In *Computer Models of Watershed Hydrology*, Singh, V.J. (Ed.), Water Resources Publication, Highlands Ranch, Colorado, pp. 697-732.
- Spomer, R.G., J.R. McHenry, R.F. Piest. 1985. Sediment movement and deposition using Cesium-137 tracer. *Transactions of the ASAE* 28(3):767-772.
- Srinivasan, R. and B.A. Engel. 1991. Effect of slope prediction methods on slope and erosion estimates. *Applied Engineering in Agriculture* 7(6):779-783.

- Stone, J.J., L.J. Lane, E.D. Shirley and M. Hernandez. 1995. Ch. 4. Hillslope surface hydrology. In *USDA-Water Erosion Prediction Project: Hillslope Profile and Watershed Model Documentation*, D.C. Flanagan and M.A. Nearing (Eds.). NSERL Report No. 10. West Lafayette, Ind.: USDA-ARS National Soil Erosion Research Lab.
- Strahler, A.N. 1952. Hypsometric (area altitude) analysis of erosional topography. *Geological Society of America Bulletin* 63:1117-1142.
- Strahler, A.N. 1957. Quantitative analysis of watershed geomorphology. *Transactions American Geophysical Union* 38:913-920.
- Tarboton, D.G. 1996. Fractal river networks, Horton's laws and Tokunaga cyclicity. *Journal of Hydrology* (187):105-117.
- Tarboton, D.G., R.L. Bras, and I. Rodriguez-Iturbe. 1988. The fractal nature of river networks. *Water Resources Research* 24(8):1317-1322.
- Tarboton, D.G., R.L. Bras, and I. Rodriguez-Iturbe. 1991. On the extraction of channel networks from digital elevation data. *Hydrological Processes* (5):81-100.
- Tim, U.S., and R. Jolly. 1994. Evaluating Agricultural Nonpoint-Source Pollution Using Integrated Geographic Information Systems and Hydrologic/Water Quality Model. *Journal of Environmental Quality* 23:25-35.
- Tiscareno-Lopez, M., M.A. Weltz, and V.L. Lopes. 1995. Assessing uncertainties in WEPP's soil erosion predictions on rangelands. *Journal of Soil and Water Conservation* 50(5):512-516.
- Tribe, A. 1992. Automated recognition of valley lines and drainage networks from grid digital elevation models: a review and a new method. *Journal of Hydrology* (139):263-293.
- U.S. Army Corps of Engineers. 1985. Flood hydrograph package HEC-1. The Hydrologic Engineering Center, Davis, CA.
- Veltri, M., Veltri, P., and M. Maiolo. 1996. On the fractal description of natural channel networks. *Journal of Hydrology* (187):137-144.
- Vieux, B.E. 1991. Geographic information systems and non-point source water quality and quantity modelling. *Hydrological processes* (5):101-113.

- Wischmeier, W.H. and D.D. Smith. 1978. Predicting rainfall erosion losses – a guide to conservation planning. U.S. Department of Agriculture, Agricultural Handbook No. 537.
- Wooding, R.A. 1965. A hydraulic model for the catchment stream problem. *Journal of Hydrology* (3):254-267.
- Yalin, M.S. 1963. An expression for bed-load transportation. *J. Hydraul. Div. ASCE* 89(HY3):221-250.
- Yang, C.T. 1972. Unit stream power and sediment transport. *J. Hydraul. Div. ASCE* 98(HY10):1805-1826.
- Yang, C.T. 1973. Incipient motion and sediment transport. *J. Hydraul. Div. ASCE* 99(HY10):1679-1704.
- Yang, C.T. and C.C.S. Song. 1979. Theory of minimum rate of energy dissipation. *J. Hydraul. Div. ASCE* 105(HY7):769-784.
- Zevenbergen, L.W. and C.R. Thorne. 1987. Quantitative analysis of land surface topography. *Earth Surface Processes and Landforms* 12:47-56.
- Zhang, X.C., M.A. Nearing, L.M. Risse, and K.C. McGregor. 1996. Evaluation of WEPP Runoff and Soil Loss Predictions Using Natural Runoff Plot Data. *Transactions of the ASAE* 39(3):855-863.